

JFW



11596-36

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Miroslav Kostka, et al.

U.S. Application No. 10/733,001

Group Art Unit: 2837

Filing Date: December 10, 2003

Examiner: Anthony J. Salata

Title: METHOD AND DEVICE FOR CONTROLLING A ZONALLY OPERATED
ELEVATOR INSTALLATION

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

AMENDMENT

Sir:

In response to the Office Communication of June 30, 2006, enclosed is the corrected section amending the specification.

In the event the actual fee is greater than the payment submitted or is inadvertently not enclosed or if any additional fee during the prosecution of this application is not paid, the Patent Office is authorized to charge the underpayment to Deposit Account No. 06-2143.

CONTINGENT EXTENSION REQUEST

If this communication is filed after the shortened statutory time period had elapsed and no separate Petition is enclosed, the Commissioner of Patents and Trademarks is petitioned, under 37 C.F.R. § 1.136(a), to extend the time for filing a response to the outstanding Office Action by the number of months which will avoid abandonment under 37 C.F.R. § 1.135. The fee under 37 C.F.R. § 1.17 should be charged to our Deposit Account No. 06-2143.

SUMMARY OF AMENDMENTS

1. ____ If checked, an abstract (an amended abstract) is submitted herewith.
2. ____ If checked, amendment(s) to the drawings are submitted herewith.
3. X If checked, amendment(s) to the specification are submitted herewith.
4. ____ If checked, amendments to the claims are submitted herewith.